

Téléphone de conférence IP Optima HD compatible avec Microsoft[®] Teams

Le CP960 est un téléphone de conférence d'entreprise, qui apporte à l'équipe l'expérience et la fonctionnalité du bureau à la salle de conférence. Basé sur Android OS, le CP960 ne fait pas que booster sans cesse l'expérience de l'utilisateur, mais atteint également un équilibre exquis entre simplicité et sophistication avec l'interface utilisateur Teams. Offrant une clarté audio inégalée, le CP960 est armé de la technologie Optima HD Voice de Yealink, qui permet aux utilisateurs de téléphones de se croire dans la même pièce.













HD Audio

Suppression du bruit d'ambiance

Office 365

Android OS 3-Microphone



Caractéristiques principales

Plus facile d'être entendu et impliqué dans la salle de conférence

Le téléphone de conférence CP960 combine le matériel et le logiciel pour améliorer pleinement sa qualité audio. Grâce à son réseau de 3 microphones intégré, le CP960 possède une portée de 20 pieds (6m) et une prise de voix de 360°, considérée comme une solution idéale pour toute salle de conférence qui a besoin d'une meilleure expérience audio, comme si tous les participants étaient assis à l'autre bout de la table !

Facilité d'utilisation, faible coût d'apprentissage

L'écran multi-touch de 5 pouces et l'interface adaptée aux équipes offrent une présentation visuelle riche et une navigation facile dans les menus. Le CP960 est entièrement compatible avec la fonctionnalité d'appel/réunion d'équipes, offrant un écosystème riche et talentueux pour votre équipe. Le CP960 permet même aux utilisateurs de synchroniser les calendriers de réunions Outlook en temps réel - rejoignez une réunion d'un simple toucher.

Provisionnement et gestion efficaces

Le Yealink CP960 est couplé à un mécanisme efficace d'auto-provisionnement Yealink, incluant le déploiement et la configuration des téléphones. Les administrateurs peuvent profiter d'un déploiement, d'une gestion et d'une mise à jour centralisés. De plus, le CP960 prend en charge plusieurs plateformes de gestion de périphériques, notamment Microsoft/Yealink/Unify Square Device Management Platform.

- Écran multi-touch 5" 720x1280
- · Audio HD optimale, technologie full duplex
- 6 mètres (20 pieds), portée de 360 degrés du microphone
- Interface utilisateur Microsoft Teams-sur
- Prise en charge d'Office 365, et possibilité de mise à niveau des applications de l'appareil vers Teams ou SFB
- Basé sur l'OS Android
- Bluetooth 4.0 intégré (en attente)
- Wi-Fi 2.4G/5G intégré à double bande (en attente)
- Prend en charge la plate-forme de gestion des périphériques Microsoft/Yealink/Unify Square



CP960-Teams Edition

Téléphone de conférence IP Yealink Teams HD

Audio Features

- Optimal HD audio
- Audio codec: SILK, Opus, G.722, G.722.1, G.722.1C, G.711 (A/µ), G.723, G.726, G.729AB, ILBC
- 20-foot (6-meter) microphone pickup range
- Apply to medium to large conference room
- Built-in 3-microphone array, 360-degree voice
- 56mm diameter and 10w speaker
- Full-duplex speakerphone with AEC
- Echo cancellation tail length is up to 320ms
- Background noise suppression

Call Handling Features

- P2P call
- Cloud PSTN call
- Call hold/Call mute/Call transfer/Call forward
- · Group SimRing
- Second forwarded if unanswered
- Block calls without caller ID

Conference Features

- · One-Click Join
- · Add a Participant to existing meeting
- Conference Mute/Unmute participants
- Display Meeting Info
- Calendar access to my meetings
- Show acceptance status per participant
- Schedule Teams meeting

Presence and Contacts

- · Presence status synchronize with client, Presence
- · Corporate Directory Access
- Show contact picture

Phone Features

- Single sign-in
- Visual voicemail
- Change VM playback speed
- Phone lock
- Screensaver
- Power Saving

Display and Indicator

- 5" 720x1280 capacitive touch screen
- Volume key
- Home button
- Multilingual user interface
- Modern Teams interface, Full keyboard
- Presence status control: available, busy, DND, be right back, off work, away

Interface

- 1 x RJ45 10/100M Ethernet port
- Power over Ethernet (IEEE 802.3af), class 4
- Built-in dual band Wi-Fi (Pending)
- Built-in Bluetooth 4.0 (Pending)
- 2 x Wired MIC port
- 2 x USB 2.0 port
- 1 x 3.5mm audio-out port
- 1 x USB 2.0 Micro-B device port
- 1 x Security slot

Management

- Configuration: browser/phone/Auto provisioning and Device Management Platform
- Provisioning priority management
- Auto Provisioning via Activation Code
- Yealink Redirection and Provisioning Service (RPS)
- QoE (Monitoring Reports)
- Reset to factory, reboot
- Package tracing export, system log
- Screenshot via URL

- · View license status
- Supports Microsoft Device Management Platform
- Supports Yealink Device Management Platform
- Supports Unify Square Device Management Platform

Network and Security


- SIP v1 (RFC2543), v2 (RFC3261)
- IPv4/IPv6
- IP Assignment: Static/DHCP
- HTTP/HTTPS web server
- Time and date synchronization using SNTP
- SRTP for voice, Transport Layer Security (TLS)
- HTTPS certificate manager
- Digest authentication using MD5/MD5-sess
- IEEE802.1X

Other Physical Features

- Color: Space Silver
- External Yealink PoE adapter (optional)
- Power consumption (PoE): 5.25w-12.3w
- Dimension (W*D*H): 338mm*338mm*74mm
- Operating humidity: 10~90%
- Storage temperature: -10~50°C (+14~122°F)

Package Features

- · Package content:
 - Yealink CP960 IP conference phone
 - Ethernet Cable (7.5m CAT5E UTP cable)
 - Wireless Microphone CPW90 (Optional)
 - Wired Microphone CPE90 (Optional)
 - Quick Start Guide
- Yealink PoE Adapter YLPOE30 (Optional)
- Qty/CTN: 4 PCS
- N.W/CTN: 5.6 kg (CP960)/10.4 kg (CP960-WirelessMic)
- G.W/CTN: 8.4 kg (CP960)/11.6 kg (CP960-WirelessMic)
- Giftbox size: 405mm*392mm*141mm
- Carton Meas: 589mm*401mm*421mm





400 rue Pierre Berthier Pôle d'activité d'Aix les Milles 13290 Aix-en-Provence

T: +33 4 42 90 16 04 F: +33 4 42 90 16 06 E:contact@dwpro.fr Rejoignez-nous sur:





